


Inclusive Healthcare Design

For Dementia and Ageing Environments





Contents

04 Inclusive Design is for everyone! And it considers...

Find us on social media:







05 Dementia: Disease or syndrome?

06 Why Dementia is important!

Dementia Services Development Centre (DSDC)

Respect contrasts

How can we make the surrounding environment Dementia friendly? Avoid falls and trips Falls also caused by high stepping Door colours are also important! Handrails contrast to the walls

Where to find LRV Values?

Pay attention to patterns, designs, visual and sensorial aspects

Avoidance of erroneous moves and confusion Control the shine Blend the dots into the principal floor's surface colour Layout patterns Smell & odour Noise

DSDC Accreditation Levels

Accredited floorings and walls ranges by the DSDC

Taralay Impression Premium Mipolam Symbioz Mipolam Affinity Creation 55 Creation 70 Tarasafe H2O

Wall Protection (SPM) Decochoc Wall Protection (SPM) Decowood Wall Protection (SPM) Decotrend Wall Covering (SPM) Mural Calypso

Inclusive Design is for everyone!

It is design that considers the full range of human diversity with respect to ability, language, culture, gender, age and other forms of human difference.







And it considers...



- Vision
- Hearing
- Mobility
- Intellectual abilities
- Communication abilities



- Height
- Weight
- Age
- Gender



- Culture
- Religion
- Social status
- Economic status



- Psycho-emotional state
- Ways of perception



Why Dementia is important!

55m Today 132m 2050 People living with Dementia

65%

Of people dying of dementia-related deaths are women

7thLeading cause of death

Dementia is a major cause of disability and dependency among older adults worldwide

Source: Global action plan on the public response

They see and experience the world differently!





Less sensitivity to variations in the contrast between objects and background

- Diminished ability to detect movement
- Reduced ability to see different colours
- Problems directing or shifting gaze
- Problems with recognizing things and faces
- Reduced sensitivity to depth perception

Dementia Services Development Centre





Is an international centre for knowledge exchange and research impact dedicated to improving the lives of people with dementia.

In order to accommodate the unique needs of people with dementia and make their lives easier, DSDC is responsible for accrediting finishing material designs and patterns in addition to offering guidance for designing dementia-friendly surroundings.




https://www.dementia.stir.ac.uk/

Respect contrasts

How can we make the surrounding environment Dementia friendly?

Colours need to contrast to ensure visibility within spaces and give a 3D enhancement to the environment. As people living with dementia age and the condition progresses, their eyesight can change. Contrasting walls and floors, tables and chairs, and even sets of plates and bowls, ensure that everything is noticeable and recognisable.



Avoid falls and trips

- Tonal contrast is one important factor that must be considered.
- This is because persons who have dementia frequently struggle to recognise contrasts between surfaces.
- It's crucial that people living with dementia can distinguish between the ends of the floor and the walls that surround them.




LRV differential of Floor/Wall >30 points



LRV differential of Floor/Wall <30 points

Falls also caused by high stepping

- The floor should feel and appear to be one continuous surface in its ideal state.
- It is essential to choose flooring materials for adjacent areas that have LRVs that are close to one another and have complementary tones.
- The threshold strips between two floor surfaces have to be similar tone ideally within 3 LRV of each other.




LRV differential of Floor/Floor <10 points



LRV differential of Floor/Floor >10 points

Door colours are also important!



LRV differential of Wall/Door <10 points = Staff Door

- Utilize the colours of the door to control entry to various rooms and zones.
- If at all feasible, provide each end user with a unique door colour to personalise the room entrance; door colour is only one way to achieve it.



LRV differential of Wall/Door >30 Points = Public Door

Handrails contrast to the walls

- For safety, it is important that handrails are visible.Use LRV value to highlight them.



LRV differential of Wall/Handrail >30 Points



LRV differential of Wall/Handrail <30 Points

Where to find LRV Values?




LRV values are available for all Gerflor floorings and walls solutions.




Pay attention to patterns, designs, visual and sensorial aspects

Avoidance of erroneous moves and confusion

- It's important to keep the flooring design free of contrasting colours and patterns. Plainer floor designs are more suitable for dementia inclusive environments.
- These can be perceived as changes in level or things to avoid and may lead to trips and falls.





Control the shine

• It is important to select flooring options without any shine or sparkle effect in their design since these elements may be seen as a wet floor surface by someone with dementia, disrupting their gait and raising the possibility of a slip.



Shows minimal glare and reflection which is ideal for a dementia inclusive interior.


Shiny and sparkly effects in the flooring design can be mistaken for a wet surface. This can disrupt the gait of patients and increase the risk of slipping.



Blend the dots into the principal floor's surface colour

- A large tonal contrast between the secondary flecks and the primary floor tone should be avoided when using speckles or secondary flecks in the flooring material.
- Dementia patients could mistake the specks for pieces on the floor and try to pick them up to toss them away.
- Flooring with slight tonal secondary flecks or a solid colour is preferred.

Is a good example of tonally consistent flooring. The secondary colour within the pattern is tonally close to the main background colour.






Shows an example of flooring to avoid using in dementia inclusive environments.

The light edges contrast noticeably with the main background colour and this creates tonal inconsistency and could be perceived as undulations or movement within the flooring.

Layout patterns

 The flooring should always be laid in the same direction.
 If it isn't, this can cause patients to become confused and disorientated.



Smell & odour



or food spills and incontinence on the floor. This could create intense emotional reactions, confusion and discomfort. All of Gerflor's resilient floorings come with a high-quality surface

Odours may accumulate from liquid

All of Gerflor's resilient floorings come with a high-quality surface treatment, this ensures a non-porous surface for easy cleaning.









Noise

 A noisy environment can make social interactions much harder and intensify risk of falls.
 To help prevent this, use Gerflor comfort flooring with excellent acoustic properties to minimise impact sound.



DSDC Accreditation Levels



Rating	Rating Description	
class 1a	Flooring within this rating are plain and can be used indiscriminately.	
class 1b	Flooring within this rating are semi-plain (minimal texture or fleck / and or minimum contrast between fleck / pattern, wood effect with no knots) and in general, can be used throughout Natural patterns such as timber and stone may be used in most areas due to their familiarity but with a degree of caution.	*
Class 2	Flooring within this rating have some pattern and need to be used with caution. The natural patterns such as timber & stone in this range are more figured / patinated and although still familiar they need to be used with more caution than the above range.	
Not suitable	Flooring within this rating have strong pattern, flecks and / or are highly reflective & are not suitable for use in areas used by people with dementia. Tessellated tile arrangements are not considered appropriate irrespective of pattern This rating incorporates stripes, flowers and dots which could be seen as dirt or something to pick up. Thus, it is possible that some people with dementia, particularly if on anti-psychotic drugs, may have an adverse reaction to these patterns. Thus, it is possible that some people with dementia, particularly if on anti-psychotic drugs, may have an adverse reaction to these patterns.	

Accredited floorings ranges by the DSDC

Pro	oduct Range	Colourway	Colour code	LRV	DSDC Stirling Rating	Notes
ESSION		Uni Matt Brick	1090	23	1a	Totally plain & matt
TARALAY IMPRESSION		Uni Matt Copper	1089	21.3	1a	As above
TARAL		Uni Matt Corail	1091	28.4	1a	As above
		Uni Matt Dark Beige	1088	36.8	1a	As above
		Uni Matt Dark Green	1079	141	1a	As above

Product Range		Colourway	Colour code	LRV	DSDC Stirling Rating	Notes
ESSION		Uni Matt Green	1080	32.6	1a	Totally plain & matt
TARALAY IMPRESSION		Uni Matt Grey	0832	43	1a	As above
TARAL		Uni Matt Indigo	1078	34.1	1a	As above
		Uni Matt Jungle Grey	1084	29	1a	As above
		Uni Matt Lagoon	1081	38.6	1a	As above

Pro	oduct Range	Colourway	Colour code	LRV	DSDC Stirling Rating	Notes
ESSION		Uni Matt Light Beige	1092	48.2	1a	Totally plain & matt
TARALAY IMPRESSION		Uni Matt Light Green	1082	46.9	1a	As above
TARAL		Uni Matt Navy	1083	9.1	1a	As above
		Uni Matt Poudre	1086	29.9	1a	As above
		Uni Matt Teal	1085	17.7	1a	As above
		Uni Matt White	0848	64.3	1a	As above
		Uni Matt Yellow	1087	53.7	1a	As above
		Riverside	1057	13	1b	Mottled effect which could look slightly patchy
		Cemento Brescia	0543	32.5	1b	Some blotchy patches which are relatively noticeable
		Cemento Capri	0524	21.8	1b	The mottled effect is much more subtle
		Cemento Firenze	1025	22	1b	Some scratches and spots with a slightly patchy effect
		Cemento Genova	0523	43.1	1b	The mottled effect is much more subtle
		Cemento Napoli	1024	33.8	1b	As above
		Cemento Roma	1026	37.8	1b	As above
		Finesse Brown	1063	36	1b	Not totally plain
		Finesse Nature	1064	37.6	1b	As above
		Finesse Paille	1065	44.5	1b	As above

oduct Range	Colourway	Colour code	LRV	DSDC Stirling Rating	Notes
	Finesse Poudre	1066	40.5	1b	Not totally plain
	Gentlemen Clear	0770	46.2	1b	As above
	Gentlemen Denim	1068	23.2	1b	As above
	Habana 3D Vinales	1070	35.5	1b	There is larger scale figuration
	Infinity Aube	0720	47.9	1b	Not totally plain
	Infinity Greige	0680	33.1	1b	As above
	Nature Oak Blond	1053	36.8	1b	Some dark spots. knots and figuration
	Nature Oak Brown	1054	22.9	1b	As above
	Nature Oak Clear	1055	41.2	1b	Some knots but overall consistent tonally
	Nature Oak Dark	1056	25.5	1b	Some dark spots. knots and figuration
	Noma Ice	0373	52	2	There is a stronger & larger scale figuration
	Habana 3D Trinidad	1069	24.7	2	Knots are noticeable and some strong figuration
	Charme Kraft	1093	26.9	2	Tonally less consistent due to some lighter edges on plank pattern

The DSDC Accredited product logo is awarded on the merit of the individual product and colourway. This accreditation does not merit the final application. Whilst every endeavor has been made to ensure the ratings are reflective of the product's suitability and applied use at the time of print, DSDC cannot be held responsible for the application of the final product, its performance or its interface with other products or finishes.

Pro	oduct Range	Colourway	Colour code	LRV	DSDC Stirling Rating	Notes
PREMIUM - BRAZILIA		Alvorada	0051	51,5	1b	Light and dark speckles are else are let to the naked eye but are perceived as closer to the background colour when viewed in tonal setting The placement of the speckles and thus the overall pattern is consistent
		Aracaju	0058	15,6	1b	As above
	er	Barueri	0054	29,9	1b	As above
	May 1	Teresina	0055	13,4	1b	As above
		Olinda	0052	37	1b	As above
	30	Limeira	0053	62,2	1b	As above
	1.2	Natal	0056	33,2	1b	As above
	-	Paraiba	3707	10,1	2	Light and dark chips are more noticeable in colour and in tonal setting
		Ceara	3709	30,4	2	As above
	23	Recife	8736	54,8	2	As above
	-	Boa Vista	8386	63,7	2	As above
		Maceio	4477	35,7	2	As above
NOOO		Crinolin	0030	35,8	2	As above
PREMIUM - COCOON	•	Flannel	0029	31,1	2	As above
		Muslin	0027	46,7	2	Light, dark & mid- toned chips are randomly placed and not as consistent as in other ranges
		Organza	0028	60,1	2	As above
		Satin	0032	43,5	2	As above

Pro	oduct Range	Colourway	Colour code	LRV	DSDC Stirling Rating	Notes
PREMIUM - INDIANA		Ofu	4001	88,7	2	Light & dark chips are obvious Some chips have a pearlescent or metallic sheen, making them more noticeable
REMIUN		Tufoa	4009	66,3	2	As above
	1	Tokelau	4343	46,7	2	As above
	•	Manua	4002	63	2	As above
	20	Тао	4003	27,5	2	As above
		Fidji	8226	35,6	2	As above
		Bali	8150	39,2	2	As above
	Mark.	Wattaru	4476	12,4	2	As above
	4 4	Dalupiri	4045	49,7	2	Light & dark chips are obvious Some chips have a pearlescent or metallic sheen, making them more noticeable
	5 m	Calero	4052	37,3	2	As above
		Comores	4050	28,9	2	As above
	3	Diwaran	4053	20,2	2	As above
	1 4	Faroe	7517	20,4	2	As above
		Cubagua	4046	39,5	2	As above
	* * *	Okuza	4047	55,3	2	As above
		Malabo	4048	46,8	2	As above
	4	Kiluia	4049	31,3	2	As above
		Maraca	4051	14	2	As above

Pro	oduct Range	Colourway	Colour code	LRV	DSDC Stirling Rating	Notes
SOMOS		Igloo	4378	60	1b	The pattern & background colour are relatively close in tone and as such more subtle
PREMIUM - OSMOZ		Ivory New	4364	61,1	1b	The pattern & background colour are relatively close in tone and as such more subtle
_		Alpaga New	4365	52,2	1b	As above
		Storm Grey	3792	36,3	1b	The pattern & background colour are relatively close in tone and as such more subtle
		Koudou	4379	31,6	2	The pattern & background colour are not as close in tone and as such contrast more significantly The pattern could be perceived as water or wet on the surface by some people living with dementia
		Angora	4349	42,2	2	As above
		Greige	4351	25,8	2	As above
	1	Slate Grey	3791	21,7	2	As above
		Awara	4380	27,8	2	As above
		Rozelle	4381	17,1	2	As above
	Yes.	Barbadine	4384	51,1	2	As above
	730	Jasmin	4383	36,5	2	As above
		Cyclades	4382	20,2	2	As above
		Pepper Grey	7737	9,4	2	The pattern & background colour are not as close in tone and as such contrast more significantly flower to the pattern could be perceived as wet or water on the surface by some people living with dementia

Pro	oduct Range	Colourway	Colour code	LRV	DSDC Stirling Rating	Notes
MIPOLAM SYMBIOZ	10 1	Cotton	6001	73,4	1b	Rated 1b as pattern is subtle with the colour contrast being minimal. Very matte.
OLAMS	17	Lipica	6002	67,8	1b	As above
Σ		Ghibli	6005	52,2	1b	As above
	500	Blue Sky	6006	52,7	1b	As above
		Calico	6008	66,8	1b	As above
	1,200	Grey Stone	6009	52,4	1b	As above
	30	Mist	6010	47,8	1b	As above
		Tangelo	6025	35,8	1b	As above
	78	Cloud	6029	35,7	1b	As above
		Stonehenge	6030	36	1b	As above
	the state of	Breeze	6031	48,5	1b	As above
	734	Sunshine	6032	55,4	1b	As above
	100	Mole	6034	33,5	1b	As above
		Oceania	6036	13,7	1b	As above
	State .	Pebble	6039	34,8	2	Some darker more noticable chips which contrast with the background tone.
	10	Clay	6041	41,8	2	As above
	12 10	Wood	6043	26,6	2	As above
	FUE =	Sea Storm	6044	15,7	2	As above
	P 194	Chocolate	6045	9,3	2	As above

Pro	oduct Range	Colourway	Colour code	LRV	DSDC Stirling Rating	Notes
YMBIOZ	0	Sauge	6047	53	1b	Rated 1b as pattern is subtle with the colour contrast being minimal. Very matte.
MIPOLAM SYMBIOZ		Hurricane	6050	20,2	1b	As above
Ĭ	No.	Musk	6057	40	1b	As above
	7	Segesta	6065	18,7	1b	As above
MIPOLAM AFFINITY	320	Quartz	4401	64,4	2	Rated 2 due to chips contrasting with the colour and tone of the background and as such, being more obvious. Very matte and chips are consistently placed.
MIPOL		Natural Shade	4403	68,8	1b	Rated 1b as pattern is more subtle with colour difference between chips and background being less contrasting. Very matte and chips are consistently placed.
		Sand Opal	4405	64	2	Rated 2 due to chips contrasting with the colour and tone of the background and as such, being more obvious. Very matte and chips are consistently placed.
		Crystal Ice	4408	67,1	1b	Rated 1b as pattern is more subtle with colour difference between chips and background being less contrasting. Ver matte and chips are consistently placed.
		Matte Grey	4409	56,3	2	Rated 2 due to chips contrasting with the colour and tone of the background and as such, being more obvious. Very matte and chips are consistently placed.
	6 30	Violet Grey	4410	46,3	2	As above
	The state of	Sapphire	4416	31,9	2	As above
	2,3	Aquamarine	4417	51,5	2	As above
	是是	Silver Grey	4420	33,1	2	As above
		Smoked Opal	4424	52,1	2	As above
	The state of the s	Sandy	4428	39	2	As above

Pro	oduct Range	Colourway	Colour code	LRV	DSDC Stirling Rating	Notes
FFINITY		Gray Opal	4429	43	2	As above
MIPOLAMAFFINITY		Pearl Grey	4430	26,8	2	As above
Σ	1	Light Greige	4441	42	2	As above
		Ruby	4448	10,1	2	In general the chips in this colourway were more subtle, however, one lighter chip was very noticeable and could be perceived as something to pick up or clean by someone living with dementia.
	4	Stormy Weather	4450	19,9	2	Rated 2 due to chips contrasting with the colour and tone of the background and as such, being more obvious. Very matte and chips are consistently placed.
	0	Orange Sunlight	4455	19,2	2	As above
	V.C	Grey Storm	4459	10,8	2	As above
	be	Cinabre	4475	13,6	2	Rated 2 due to chips contrasting with the colour and tone of the background and as such, being more obvious. Very matte and chips are consistently placed.
	15 E	Light Sapphire	4496	53,6	2	As above

Pro	oduct Range	Colourway	Colour code	LRV	DSDC Stirling Rating	Notes
CREATION 55		Bostonian Oak Honey	0016	29.8	1b	No noticeable knots & grain is consistent
CREAT		Bostonian Oak Beige	0853	36.7	1b	No noticeable knots. Tone & grain pattern is consistent
		Charming Oak Nature	1277	18.6	1b	No obvious knots. Some reasonable figuration but overall not too much tonal variation
		Charming Oak Beige	1278	31.5	1b	Pattern has some figuration but is familiar & natural with no visible knots
		Bloom Uni Taupe	0868	28.5	1b	Pattern is relatively mottled but consistent
		Cambridge	0465	39.8	2	Strong figuration which could create the perception of movement
		Honey Oak	0441	27.7	2	Some knots and overall patchy effect
		Quartet	0503	19.4	2	Figuration & some knots
		Swiss Oak Golden	0796	25.8	2	Cracks, knowts and strong figuration
	140	Lounge Oak Beige	1272	33.9	2	Figuration which may be perceived as movement or visually overstimulating
		Twist	0504	38.9	2	Some knots
	An a	Bostonian Oak	0871	26.4	2	Overall patchy effect which could be perceived as undulating
		Lounge Oak Golden	1271	23.8	2	Some knots albeit these are relatively small.
		Buffalo	0457	16.3	2	Obvious knots & cracks and some patchiness
	NA TON	Brownie	0459	10.7	2	Some figuration & knots
		White Lime	0584	36	2	Knots
		Arena	0060	37.2	2	Dark knots which are noticeable against the paler background
		Mansfield Light	0068	31.8	2	Overall patchy effect
		Swiss Oak Pearl	0846	36.1	2	Obvious knots and cracks
		Oxford	0061	19.2	2	Contrast with planks could create a stepped effect once laid.

Pro	oduct Range	Colourway	Colour code	LRV	DSDC Stirling Rating	Notes
CREATION 70		Pure Concrete Medium	1061	28.4	1a	Almost plain. The natural concrete pattern is so subtle and consistent that this is viewed as plain overall.
CRE		Pure Concrete Light	1060	39.1	1a	Almost plain. The natural concrete pattern is so subtle and consistent that this is viewed as plan overall
		Onka Pearl	1056	32.9	1b	Any knots are not visible & figuration is relatively subtle
		Carassi	0561	21.7	1b	Some sheen but overall the colourway & pattern is consistent
		Limed Oak	0329	42	1b	No visible knots, cracks and minimal tonal variation
		Onka Natural	1055	31.1	1b	Any knots are not visible & figuration is relatively subtle
		Silversands	0324	33.1	1b	Some figuration but no knots are present & contrasts between planks is minimal
		Serena	0545	16.7	2	Knots visible in the room generator image
		Clifton	0556	23.2	2	Obvious knots
		Clifton Honey	1190	24.2	2	Noticeable knots
		Muse Sand	1052	39.4	2	Patchy pattern and contrast between adjacent planks
		Midwest	0538	38.9	2	Cracks & knots
		Cervino Oak Honey Clear	1186	27.6	2	Crack & knots
		Denim Wood	0356	41.4	2	Figuration
		Douglas	0535	29.1	2	Cracks & knots
	ý.	Etna Beige	1068	36.6	2	Some variation with the pattern albeit this is natural & expected for stone of this type
		Dock Taupe	0087	19.2	2	Metallic sheen, scratch marks & some noticeable lighter marks
		Dock Grey	0085	20.1	2	Metallic sheen, scratch marks & some noticeable lighter marks
		East Village	0522	22	2	Pattern relatively consistent but there are some noticeable markings

Pro	oduct Range	Colourway	Colour code	LRV	DSDC Stirling Rating	Notes
CREATION 70	6-25	Halifax	0531	15.1	2	As above
CREA		Wild Oak	0359	26.8	2	Knots and visible cracks
		Deep Forest	0360	15.8	2	Crack & knots
		Etna Dark	1069	12.9	2	Patchy effect with significant areas of contrasts within the pattern

Pro	oduct Range	Colourway	Colour code	LRV	DSDC Stirling Rating	Notes
FE H ₂ O		Peyto	0024	43.7	1b	This product is very matte which is excellent. Not totally plain
TARASAFE H ₂ O		Nile	0025	43.4	1b	As above
		Eacham	0031	34.3	1b	As above
		Malawi	0032	40.1	1b	As above
		Rhine	0033	29.7	1b	This product is very matte which is excellent. Not totally plain
		Zambezi	0034	19.9	1b	As above
		Bacalar	0035	32.5	1b	As above
		Lagoa	0036	31.1	1b	As above

Pro	oduct Range	Colourway	Colour code	LRV	DSDC Stirling Rating	Notes
оснос		Spume	1102	82.5	1a	Rated 1a as totally plain. Relatively matt with a slight stippled texture.
M) - DEC		Cream	0102	81.8	1a	As above
TION (SP		Chalk	0001	83.4	1a	Rated 1a as matt
WALL PROTECTION (SPM) - DECOCHOC		Lychee	0040	44.7	1a	Stipled texture. Sheen less perceptible in this colourway
WAL		Straw	0021	73.2	1a	Rated 1b due to sheen
		Mimosa	0043	68.1	1a	Stipled texture. Sheen less perceptible in this colourway
		Lagoon	0048	48.3	1a	Stipled texture. Sheen less perceptible in this colourway
		Magnolia	0034	52.5	1a	As above
		Quartz	0039	54.8	1a	As above

oduct Range	Colourway	Colour code	LRV	DSDC Stirling Rating	Notes
	Turquoise	0047	25.1	1a	As above
	Linden	0049	29.4	1a	As above
	Mist	0101	60.9	1a	As above
	Sage	0044	38.8	1a	As above
	Fern	0045	17.8	1a	As above
	Schist	0005	15.4	1a	As above
	Alum	0031	73.5	1b	Rated 1b due to sheen
	Ivory	0006	80.1	1b	Rated 1b due to sheen
	aduct Range	Turquoise Linden Mist Sage Fern Schist Alum	Turquoise	Turquoise 0047 25.1 Linden 0049 29.4 Mist 0101 60.9 Sage 0044 38.8 Fern 0045 17.8 Schist 0005 15.4 Alum 0031 73.5	Turquoise

oduct Range	Colourway	Colour code	LRV	DSDC Stirling Rating	Notes
	Wicker	0007	70.8	1b	Rated 1b due to sheen
	Pebble	0011	54.2	1b	Rated 1b due to sheen
	Gravel	0002	52.7	1b	Rated 1b due to sheen
	Clay	0003	31.6	1b	Rated 1b due to sheen
	Cinnamon	0014	38.5	1b	Rated 1b due to sheen
	Flint	0032	43.9	1b	Rated 1b due to sheen
	Greige	0013	41.3	1b	Rated 1b due to sheen
	Granite	0004	24.7	1b	Rated 1b due to sheen
	Sand	0008	51.4	1b	Rated 1b due to sheen
	Sienna	0009	26.0	1b	Rated 1b due to sheen
	Glacier	0016	57.2	1b	Rated 1b due to sheen
	Azure	0018	43.5	1b	Rated 1b due to sheen
	Denim	0020	15.7	1b	Rated 1b due to sheen
	Indigo	0046	10.4	1b	Stipled texture. Sheen less perceptible in this colourway
	Bamboo	0024	53.4	1b	Rated 1b due to sheen
	Iris	0030	17.7	1b	Rated 1b due to sheen
	Mulberry	0042	13.5	1b	Stipled texture. Sheen less perceptible in this colourway
	Terracotta	0041	26.7	1b	Stipled texture. Sheen less perceptible in this colourway
	Рорру	0028	15.4	1b	Rated 1b due to sheen
	Bark	0010	14.7	1b	Rated 1b due to sheen
	Slate	0033	6.7	1b	Rated 1b due to sheen
	Basalt	0036	4.5	1b	Rated 1b due to sheen

Pro	oduct Range	Colourway	Colour code	LRV	DSDC Stirling Rating	Notes
МООР		Maple	0060	48.6	1b	Rated 1b as familiar timber pattern
WALL PROTECTION (SPM) - DECOWOOD		Light Oak	0062	34.6	1b	Rated 1b as familiar timber pattern
TION (SPI		Stripped Pine	0065	35.6	1b	Rated 1b as familiar timber pattern
PROTEC.		Brown cedar	0069	23.5	1b	Rated 1b as familiar timber pattern
WALL		Smoky cedar	0068	11.3	1b	Rated 1b due to sheen
		Walnut	0070	11.6	1b	Has a straight- grain figuration
	2	Cherry	0071	23.8	2	Includes some knots and swirls

Pro	oduct Range	Colourway	Colour code	LRV	DSDC Stirling Rating	Notes
COTREND		Brushed Aluminium	0050	40.6	2	Brushed metal effect texture with more of a sheen. Rated 1a as still plain.
SPM) - DEC		Raw Concrete	0054	26.6	2	Slight sheen. Rated 2 as slightly patchy brushed plaster effect.
WALL PROTECTION (SPM) - DECOTREND		Rust Corten	0056	18.5	2	Very matt. Rated 2 as stippled effect with some contrasting darker markings.
WALLPRO		Green Corten	0057	22.2	2	Very matt but rated 2 due to the mottled patinated metal effect which is patchy in tone.

Pro	oduct Range	Colourway	Colour code	LRV	DSDC Stirling Rating	Notes
ILYPSO		Uni Snow	7611	82.8	1a	Totally plain. No noticeable sheen
WALL COVERING (SPM) - MURAL CALYPSO		Uni Ice	7020	71.8	1a	Totally plain
SPM) - M		Uni Lotus	7021	71.9	1a	As above
VERING		Cloud Ice	7711	70.7	1b	Mottled pattern is apparent in tonal setting
WALLCO		Cloud Haze	7010	62.3	1b	Mottled pattern is apparent in tonal setting
		Fabric Silk	7740	58.8	1b	Fabric pattern is familiar & relatively consistent across the pattern repeat
		Cloud Lotus	7309	75.5	1b	As above

Pro	oduct Range	Colourway	Colour code	LRV	DSDC Stirling Rating	Notes
ALYPSO		Cloud Linen	7311	56.5	1b	Mottled pattern is apparent in tonal setting
WALL COVERING (SPM) - MURAL CALYPSO		Cloud Pink	7017	56.4	1b	As above
(SPM) - N		Cloud Green	7018	53.8	1b	As above
OVERING		Cloud Terra	7020	51	1b	As above
WALLCO		Cloud Skyline	7408	56.8	1b	As above
		Cloud Moonlight	7201	70.5	1b	Mottled pattern is apparent in tonal setting albeit the pattern is very subtle
		Manhattan Mist	7721	64.6	2	Strongly contrasting mottled effect with some darker spots & scratchy lines









We care / We act Our Commitments for a Sustainable future



CARBON FOOTPRINT* -20 % kg CO₂ equivalent/m² between 2020 and 2025



BIOSOURCED CONTENT**
10 % by 2025



RECYCLED CONTENT **30 %** by **2025**



ADHESIVE FREE*** 35 % by 2025



